

Smart Triangle Light

The triangle light is perfect for creating a daily atmosphere, and the added value of the products is very high, and the quality of the products is outstanding, with fashion and elegant design That triangle light is really a amazing product in the daily atmosphere, perfect decoration for living room, gaming room, family and friends party, which can build up a very colorful feeling and life experience.




Product Parameter

Product Name	Smart Triangle Light
Adapter for US/Japan Market	24W, AC100-240V, DC24V, 1A
Adapter for Europe Market	24W, AC200-240V, DC24V, 1A
Adapter for Australia Market	24W, AC220-240V, DC24V, 1A
Wattage of per panel	2W
Maximum pieces panels	1-12 pcs
Max Colors	RGBIC, 16.7 million
Working Temperature	-20°C to 40°C / -4°F to 104°F
Lifespan	25,000 hours
Compatible	Google Assistant, Amazon Alexa, Siri
Communication Protocol	WiFi+Bluetooth (2.4Ghz)
Dimmability	Yes (App / Voice / Button Controller / Remote Controller)

Features ▶▶▶▶

1. 16Million+ wonderful variety colors option.
2. RGBIC, the lights can be adjusted in separate, namely addressable function.
3. 3 Pixels for each panel, more amazing scenes setting for options.
4. 4ways for controlling: Smart App, Remote controller, Smart voice and Controller.
5. Compatible with Google Assistant, Amazon Alexa, Siri and TUYA Smart.
6. Perfect applications with freely DIY Shapes: Gaming, Party, living room and etc.

Instructions for controller ▶▶▶▶




Package Item ▶▶▶▶


- Pack of 6: Triangle Light x 6, Linker x 5, Adapter x 1, Button Controller x 1, Manual x 1, Double-sided adhesive tape x 6, Remote controller x 1.
- Pack of 9: Triangle Light x 9, Linker x 8, Adapter x 1, Button Controller x 1, Manual x 1, Double-sided adhesive tape x 9, Remote controller x 1.

Installation Instruction


1. Connect the controller with the power adapter, Connect the controller with the first panel light through the DC cable. Plug the adapter into power.




2. Please make sure that the wall or other installation surface is clean and free of dust or water.




3. Insert a linker into the first panel light, mount the first panel light to the wall.



4. Press the panel light to the wall for 30 seconds.



5. Identify the correct connecting port on the second panel light, snap the second panel light into place.




6. Continue this process until all your panel lights are fully mounted.

Steps of Connection on Mobile

1. A smart phone or tablet with IOS 8.0 (or later) or Android 4.3 (or later).
2. Download the “ Tuya Smart ” App from the APP store (IOS devices) or Google Play (Android devices).




3. Open the Bluetooth, Wifi (2.4Ghz), and APP. Click “ + ” and then click “ Add Device ” to search for nearby devices.




4. Press and hold on the “ On / Off ” button on controller for 10 seconds until the lamp flashes red color quickly to enter pairing mode.

5. After discovering the device, click "Add".

6. Enter Password and connect the Wifi (2.4Ghz), then click "Next". Waiting for the connection.



7. Done !



APP interface




Color



All Lights
Synchronization

Colorful Light

ON / OFF



Edit Name




Adjust Brightness
(1%-100%)

DIY

Adjust DIY Color


Adjust or erase
DIY colors on the
light



Erase DIY Color


Turn on / off the
specified light to
DIY to fit for different
occasions. Also save
energy and money.

Preset Scene




44 Scenes for option

DIY Scene



Create custom light scene by yourself

Music




The light follow the rhythm of the music collected by the device microphone.

Schedule



Create your own plan

Actual point



If your light has been cut during use, you can adjust the actual length to better set up the light strip.

Packing / Weight

Item	Inner Box			
	Size (mm)	N.W. (KG)	G.W. (KG)	Qty (pcs)
KA-PL04 (6pack)	199 x 174 x 103 mm 0.65 x 0.57 x 0.34 in	0.8 kg 1.76 lbs	1.1 kg 2.43 lbs	6
KA-PL04 (9pack)	199 x 174 x 152 mm 0.65 x 0.57 x 0.5 in	1.2 kg 2.65 lbs	1.55 kg 3.42 lbs	9

Item	Master Carton			
	Size (mm)	N.W. (KG)	G.W. (KG)	Qty (pcs)
KA-PL04 (6pack)	416 x 360 x 436 mm 1.36 x 1.18 x 1.43 in	12.8 kg 28.22 lbs	18.6 kg 41 lbs	16
KA-PL04 (9pack)	416 x 360 x 328 mm 1.36 x 1.18 x 1.08 in	9.6 kg 21.16 lbs	13.4 kg 29.54 lbs	8

Caution

Read and follow the safety instructions below.

1. This light panel is ideally used on smooth surfaces (e. g. glass, etc.); not suitable for uneven, bumpy or wet surfaces (e. g. brick, stucco, etc).
2. Clean and ensure the surface is totally dry before sticking the light panel on.
3. When installing the light panel, press its central point against the wall for more than 30s in order to maximize the adhesion.
4. Avoid installation above heat source objects, in areas where direct sunlight, airflow and temperature change significantly.
5. Avoid exposing the product to the outside and directly in the rain.
6. Do not use sharp and hard objects or rough pollutants to impact the atmosphere lamp, as not to affect the function and appearance.
7. Do not leave the power cord idle on the ground to avoid stumbling.
8. Children who are not supervised by adults are not allowed to use this product alone. Some parts of this product are imported, there is a risk of choking.